

	Type	Hits	Search Text	DBs
1	BRS	6790	platen with scan\$4	USPAT; JPO
2	BRS	37379	(lid or cover) near5 hing\$5	USPAT; JPO
3	BRS	47	(platen with scan\$4) same ((lid or cover) near5 hing\$5)	USPAT; JPO
4	BRS	0	5923445.URPN.	USPAT
5	BRS	3	("4922292" "5097350" "5280330").PN.	USPAT
6	BRS	1084	hing\$5 near5 telescop\$5	USPAT; JPO
7	BRS	8813	(lid or cover) near7 (platen or scan\$4 or electrophot0\$5)	USPAT; JPO
8	BRS	0	(hing\$5 near5 telescop\$5) same ((lid or cover) near7 (platen or scan\$4 or electrophot0\$5))	USPAT; JPO
9	BRS	10	(hing\$5 near5 telescop\$5) and ((lid or cover) near7 (platen or scan\$4 or electrophot0\$5))	USPAT; JPO
10	BRS	1771	hing\$5 near5 (telescop\$5 or expandable or elongatable or extendable or extendible)	USPAT; JPO
11	BRS	0	((lid or cover) near7 (platen or scan\$4 or electrophot0\$5)) same (hing\$5 near5 (telescop\$5 or expandable or elongatable or extendable or extendible))	USPAT; JPO
12	BRS	14	((lid or cover) near7 (platen or scan\$4 or electrophot0\$5)) and (hing\$5 near5 (telescop\$5 or expandable or elongatable or extendable or extendible))	USPAT; JPO

	Time Stamp	Comments	Error Definition	Errors
1	2004/08/05 17:43			0
2	2004/08/02 17:53			0
3	2004/08/02 14:55			0
4	2004/08/02 14:41			0
5	2004/08/02 14:41			0
6	2004/08/02 15:16			0
7	2004/08/02 15:11			0
8	2004/08/02 15:11			0
9	2004/08/02 15:12			0
10	2004/08/05 16:46			0
11	2004/08/02 15:18			0
12	2004/08/02 15:18			0

	Type	Hits	Search Text	DBs
13	BRS	4	((lid or cover) near7 (platen or scan\$4 or electrophot0\$5)) and (hing\$5 near5 (telescop\$5 or expandable or elongatable or extendable or extendible))) not ((hing\$5 near5 telescop\$5) and ((lid or cover) near7 (platen or scan\$4 or electrophot0\$5)))	USPAT; JPO
14	IS&R	1	("6233426").PN.	USPAT
15	BRS	273	ghat\$.xa.	USPAT
16	BRS	2	6233426.URPN.	USPAT
17	BRS	1	6351624.URPN.	USPAT
18	BRS	4	("3997265" "4150896" "5812285" "6233426").PN.	USPAT
19	IS&R	1	("5812285").PN.	USPAT
20	IS&R	2887	(355/25,75,77).CCLS.	USPAT
21	BRS	37379	(lid or cover) near5 hing\$5	USPAT; JPO
22	BRS	141	((355/25,75,77).CCLS.) and ((lid or cover) near5 hing\$5)	USPAT; JPO
23	IS&R	329	(399/377,379,380).CCLS.	USPAT
24	IS&R	498	(358/497).CCLS.	USPAT
25	BRS	24	((lid or cover) near5 hing\$5) and ((358/497).CCLS.)	USPAT
26	BRS	26471	telescop\$5 near3 (joint or member or element or leg or arm)	USPAT; JPO
27	BRS	18648	adjust\$5 near3 (postion or location)	USPAT; JPO

	Time Stamp	Comments	Error Definition	Errors
13	2004/08/02 15:31			0
14	2004/08/02 15:32			0
15	2004/08/02 17:22			0
16	2004/08/02 15:43			0
17	2004/08/02 15:55			0
18	2004/08/02 15:55			0
19	2004/08/02 17:32			0
20	2004/08/02 17:33			0
21	2004/08/02 17:53			0
22	2004/08/02 18:19			0
23	2004/08/02 18:36			0
24	2004/08/02 18:39			0
25	2004/08/02 18:39			0
26	2004/08/03 10:02			0
27	2004/08/03 10:04			0

	Type	Hits	Search Text	DBs
28	BRS	59	(telescop\$5 near3 (joint or member or element or leg or arm)) same (adjust\$5 near3 (postion or location))	USPAT; JPO
29	BRS	20528	telescop\$5.ab.	USPAT; JPO
30	BRS	14	((telescop\$5 near3 (joint or member or element or leg or arm)) same (adjust\$5 near3 (postion or location))) and telescop\$5.ab.	USPAT; JPO
31	BRS	80460	hing\$4 near7 (joint or member or element or leg or arm)	USPAT; JPO
32	BRS	16	((telescop\$5 near3 (joint or member or element or leg or arm)) same (adjust\$5 near3 (postion or location))) and (hing\$4 near7 (joint or member or element or leg or arm))	USPAT; JPO
33	BRS	63	(adjust\$5 near3 (postion or location)) near7 hinge	USPAT; JPO
34	BRS	5	(telescop\$5 near3 (joint or member or element or leg or arm)) and ((adjust\$5 near3 (postion or location)) near7 hinge)	USPAT; JPO
35	BRS	5255	telescop\$5.ti.	USPAT; JPO
36	BRS	1	((telescop\$5 near3 (joint or member or element or leg or arm)) same (adjust\$5 near3 (postion or location))) and telescop\$5.ti.	USPAT; JPO
37	BRS	0	(piston or pneumatic\$5) and 4150896.pn.	USPAT; JPO
38	BRS	3855	piston near5 (adjust\$5 near5 (locataion or position))	USPAT; JPO
39	BRS	4	(piston near5 (adjust\$5 near5 (locataion or position))) near10 hinge	USPAT; JPO
40	BRS	95626	printer.ab.	USPAT; JPO

	Time Stamp	Comments	Error Definition	Errors
28	2004/08/03 09:59			0
29	2004/08/03 10:05			0
30	2004/08/03 10:00			0
31	2004/08/03 10:02			0
32	2004/08/03 10:02			0
33	2004/08/03 10:04			0
34	2004/08/03 10:04			0
35	2004/08/03 10:05			0
36	2004/08/03 10:05			0
37	2004/08/03 12:19			0
38	2004/08/03 12:24			0
39	2004/08/03 12:10			0
40	2004/08/03 12:11			0

	Type	Hits	Search Text	DBs
41	BRS	4	(piston near5 (adjust\$5 near5 (locataion or position))) and printer.ab.	USPAT; JPO
42	BRS	13157	piston near4 arm	USPAT; JPO
43	BRS	23906	(piston near4 arm) amd (piston near5 (adjust\$5 near5 (locataion or position)))	USPAT; JPO
44	BRS	366	(piston near4 arm) and (piston near5 (adjust\$5 near5 (locataion or position)))	USPAT; JPO
45	BRS	1	(power or motor or solenoid) and 4150896.pn.	USPAT; JPO
46	BRS	2740	piston near5 telescop\$5	USPAT; JPO
47	BRS	10	(piston near5 (adjust\$5 near5 (locataion or position))) same (piston near5 telescop\$5)	USPAT; JPO
48	BRS	72267	(adjust\$5 near5 height)	USPAT; JPO
49	BRS	40	(piston near5 telescop\$5) same (adjust\$5 near5 height)	USPAT; JPO
50	BRS	7	("1619686" "4693513" "4854641" "5401077" "5435623" "5536067" "5984411").PN.	USPAT
51	IS&R	1	("4150896").PN.	USPAT
52	IS&R	1	("6752459").PN.	USPAT
53	BRS	7	("1619686" "4693513" "4854641" "5401077" "5435623" "5536067" "5984411").PN.	USPAT
54	BRS	29	latch\$5 near5 inside near10 piston	USPAT
55	BRS	303	piston near5 (three near3 (members or elements))	USPAT

	Time Stamp	Comments	Error Definition	Errors
41	2004/08/03 12:11			0
42	2004/08/03 12:12			0
43	2004/08/03 12:12			0
44	2004/08/03 12:13			0
45	2004/08/03 12:22			0
46	2004/08/03 12:23			0
47	2004/08/03 12:23			0
48	2004/08/03 12:25			0
49	2004/08/03 12:52			0
50	2004/08/03 12:27			0
51	2004/08/03 15:56			0
52	2004/08/03 15:57			0
53	2004/08/03 15:57			0
54	2004/08/03 16:18			0
55	2004/08/03 16:19			0

	Type	Hits	Search Text	DBs
56	BRS	1	(piston near5 (three near3 (members or elements))) same telescop\$4	USPAT
57	BRS	2018	piston near5 fit\$4 near5 (hole or groove or recess)	USPAT
58	BRS	932	(annular near3 washer) near5 (hole or groove or recess)	USPAT
59	BRS	3	(piston near5 fit\$4 near5 (hole or groove or recess)) and ((annular near3 washer) near5 (hole or groove or recess))	USPAT
60	BRS	2056	(annular near3 support) near5 (hole or groove or recess)	USPAT
61	BRS	11	((annular near3 support) near5 (hole or groove or recess)) and (piston near5 fit\$4 near5 (hole or groove or recess))	USPAT
62	BRS	7072	hinge.ti.	USPAT
63	BRS	1773	hing\$5 near5 (telescop\$5 or expandable or elongatable or extendable or extendible)	USPAT; JPO
64	BRS	87	hinge.ti. and (hing\$5 near5 (telescop\$5 or expandable or elongatable or extendable or extendible))	USPAT; JPO
65	BRS	2	6530122.URPN.	USPAT
66	BRS	11	("4457047" "4470169" "4502182" "4834277" "4842349" "5356095" "5513420" "5570498" "5644817" "5926917" "6006064").PN.	USPAT
67	BRS	19244	joint.ti.	USPAT
68	BRS	188	(telescop\$4 near3 joint).ab.	USPAT

	Time Stamp	Comments	Error Definition	Errors
56	2004/08/03 16:48			0
57	2004/08/03 16:49			0
58	2004/08/03 16:53			0
59	2004/08/03 16:49			0
60	2004/08/03 16:53			0
61	2004/08/03 16:53			0
62	2004/08/05 17:00			0
63	2004/08/05 17:07			0
64	2004/08/05 16:46			0
65	2004/08/05 16:48			0
66	2004/08/05 16:48			0
67	2004/08/05 17:00			0
68	2004/08/05 17:00			0

	Type	Hits	Search Text	DBs
69	BRS	65	joint.ti. and ((telescop\$4 near3 joint).ab.)	USPAT
70	IS&R	0	("jointnear5((beneathorinsideorburied)near3surface)").PN.	USPAT
71	BRS	0	joint near5 ((beneathorinsideorburied) near3 surface)	USPAT
72	BRS	560	joint near5 ((beneath or inside or buried) near3 surface)	USPAT
73	BRS	3220	joint near5 (telescop\$5 or expandable or elongatable or extendable or extendible)	USPAT; JPO
74	BRS	12	(joint near5 ((beneath or inside or buried) near3 surface)) and (joint near5 (telescop\$5 or expandable or elongatable or extendable or extendible))	USPAT; JPO
75	BRS	4151	support\$4 near joint	USPAT; JPO
76	BRS	159059	((beneath or inside or buried) near3 surface)	USPAT
77	BRS	17	(support\$4 near joint) same (((beneath or inside or buried) near3 surface))	USPAT
78	BRS	25967	pin near5 radial\$4	USPAT
79	BRS	2433	(pin near5 radial\$4) near5 shaft	USPAT
80	BRS	138166	support\$4 near (shaft or joint or leg)	USPAT; JPO
81	BRS	321444	support\$4 near5 (shaft or joint or leg)	USPAT; JPO
82	BRS	284	((pin near5 radial\$4) near5 shaft) same (support\$4 near5 (shaft or joint or leg))	USPAT; JPO
83	BRS	216671	(beneath or below or under) near3 surface	USPAT; JPO

	Time Stamp	Comments	Error Definition	Errors
69	2004/08/05 17:05			0
70	2004/08/05 17:06			0
71	2004/08/05 17:07			0
72	2004/08/05 17:09			0
73	2004/08/05 17:07			0
74	2004/08/05 17:08			0
75	2004/08/05 17:11			0
76	2004/08/05 17:09			0
77	2004/08/05 17:10			0
78	2004/08/05 17:11			0
79	2004/08/05 17:11			0
80	2004/08/05 17:11			0
81	2004/08/05 17:12			0
82	2004/08/05 17:12			0
83	2004/08/05 17:12			0

	Type	Hits	Search Text	DBs
84	BRS	0	((pin near5 radial\$4) near5 shaft) same (support\$4 near5 (shaft or joint or leg))) same ((beneath or below or under) near3 surface)	USPAT; JPO
85	BRS	7	((pin near5 radial\$4) near5 shaft) same (support\$4 near5 (shaft or joint or leg))) and ((beneath or below or under) near3 surface)	USPAT; JPO
86	BRS	67569	prevent\$5 near5 (slipping or sliding)	USPAT; JPO
87	BRS	617	((beneath or inside or buried) near3 surface)) same (prevent\$5 near5 (slipping or sliding))	USPAT; JPO
88	BRS	33	((((beneath or inside or buried) near3 surface)) same (prevent\$5 near5 (slipping or sliding))) same (block or latch)	USPAT; JPO

	Time Stamp	Comments	Error Definition	Errors
84	2004/08/05 17:12			0
85	2004/08/05 17:14			0
86	2004/08/05 17:14			0
87	2004/08/05 17:15			0
88	2004/08/05 17:15			0